

Riing Trio 12 RGB PRadiator Fan TT Premium Edition

• Features

- Three individual addressable LED rings
- Patented 30 LED ring & Software design
- Supports up to 16 controllers, maximum 80 pcs fans
- 16.8 million colors RGB spectrum
- High static pressure fan design for radiator cooling
- Long life hydraulic bearing for reliable and silent operation

• Specification



P/N	CL-F072-PL12SW-A (Fan x3, Controller x1)
Fan Dimension	120 x 120 x 25 mm
Interface	USB 2.0 connectors (9 Pin)
System compatibility	Windows 7 / 8 / 8.1 / 10
Fan Started Voltage	9.0 V
Fan Rated Voltage	12 V & 5V
Rated Current	Fan 0.12 A (only one fan)
Power Input	12V – 4.32 W . 5V – 15.4 W (Fan*3)
Fan Speed	500 ~ 1500 R.P.M
Max. Air Pressure	1. 4mm-H2O
Max. Air Flow .	41.13 CFM
Noise Level	25.2 dB-A
Bearing Type	Hydraulic Bearing
Life expectation	40,000 hrs,25°C
Weight	168 g

Riing Trio 12 RGB PRadiator Fan TT Premium Edition

•Angle View



Front view



Back view



Unique Fan blade shape



Controller



Parts (M3 for Radiator, T5x10 fan screw)

Riing Trio 12 RGB PRadiator Fan TT Premium Edition

- Detail Features



RGB Plus software

Digitally controlled with
Riing RGB software



16.8 million colors

design for radiator cooling



Application

Support up to 80 pcs fans

Riing Trio 12 RGB PRadiator Fan TT Premium Edition

•Angle View




RGB Spectrum Mode:
A gorgeous and seamless transition through the entire range of 16.8 million RGB colors



Ripple Mode:
RGB Colors ripple out across the fan



Flow Mode:
RGB or Single color flow in a clockwise direction



Pulse Mode:
A slow fade in and fade out of your color choice

Riing Trio 12 RGB PRadiator Fan TT Premium Edition

P/N: CL-F053-PL12SW-A , CL-F054-PL12SW-A

Riing Trio 12 RGB Radiator Fan TT Premium Edition

Patented 16.8 million colors



Tt[®] Thermaltake
COOLall YOUR LIFE