



# FVG318

## ProSafe™ 802.11g Wireless VPN Firewall 8 with 8-port 10/100 Mbps Switch

- *Help is there when you need it! NETGEAR provides 24x7 technical support\*\* in English, with selected local language support during office hours.*


### Five-in-One Wireless and Wired VPN Solution

This comprehensive and affordable solution offers wired and wireless connectivity and business-class protection for small office and remote/branch office users. It combines five functions in a single, compact package – Stateful Packet Inspection (SPI) firewall, 802.11g wireless access point, IPSec Virtual Private Network (VPN) appliance, NAT router, and eight-port Fast Ethernet switch. Powerful and standards-based, it delivers both 10 and 100 Mbps connections for wired devices, plus 802.11b/g devices at speeds up to 108 Mbps. This complete solution offers high-performance features in a space-saving, easy-to-use design.


**Heavy Duty Security** More than just a simple NAT router, the ProSafe FVG318 SPI firewall provides business-class protection, blocking unwanted users from accessing the network. Wi-Fi Protected Access 2 Enterprise (WPA2) shields wireless communication with the highest available level of industry-standard encryption and authentication. Comprehensive controls block or filter unwanted addresses, services, protocols, and URLs, fortifying your network. Up to eight simultaneous IPSec VPN security association connections protect links between business locations, encrypting all traffic as it traverses the Internet – perfect for telecommuters and remote offices. VPNC compliant.

**Easy Usability** Easy to set up and use, with intuitive Smart Wizards™ that help connect to your ISP and establish VPN connections. SNMP support provides complete remote administration – perfect for corporate teleworkers, remote offices, and small businesses that can take advantage of centralized administration. Dynamic DNS capabilities facilitate remote access, cameras, games, and other hosted services for users with dynamic IP addresses.

**Expandable** Works as the foundation for a small network, or integrated into a big one. Support for DHCP (client and server) and PPPoE facilitates widespread deployment. Optimized for NETGEAR's ProSafe VPN Client Software VPN01L and VPN05L (single and 5-user license) and ProSafe Network Management Software NMS100. Compatible with other SNMP management applications, and supports Windows®, Macintosh®, UNIX®, and Linux®, or any other TCP/IP based platforms.



### How the Firewall Processes a Packet



### Related Products

#### • Antennas and Accessories

- ANT24O5 ProSafe™ Indoor 5 dBi Omni-directional Antenna
- ANT2409 ProSafe™ Indoor/Outdoor 14 dBi Omni-directional Antenna
- ANT24D18 ProSafe™ Indoor/Outdoor 18 dBi Patch Panel Directional Antenna
- Low-loss Antenna Cables: 1.5, 3, 5, 10, and 30 m
- WAG511 ProSafe™ Dual Band Wireless PC Card
- VPN01L and VPN05L ProSafe VPN Client Software
- NMS100 ProSafe Network Management Software

#### • Firewalls

- FVS114 ProSafe VPN Firewall 8
- FVS318 ProSafe VPN Firewall 8
- FWG114P ProSafe 802.11g Wireless Firewall 2 with USB Print Server

#### • Switches

- FS726T ProSafe 24+2 10/100 Smart Switch
- FS750T2 ProSafe 48+2 10/100 Smart Switch
- FS726TP ProSafe 24+2 10/100 Smart Switch w/12 port PoE

#### • Access Points

- WG102 ProSafe 802.11g Access Point

### Technical Specifications

#### • Wireless

- **Standards:** IEEE 802.11g, 54 Mbps, Super G technology up to 108 Mbps
- **Antenna:** (1) 5dBi, detachable

#### • Physical Interfaces

- **LAN ports:** Eight (8) 10/100Mbps auto-sensing, Auto Uplink™ RJ-45 ports
- **WAN port:** 10/100 Mbps Ethernet RJ-45 port to connect to any broadband modem, such as DSL or cable

#### • Security Features

- **SPI Firewall:** Stateful Packet Inspection (SPI) to prevent notorious Denial of Service (DoS) attacks, Intrusion Detection System (IDS) including logging, reporting and e-mail alerts, address, service and protocol, Web URL keyword filtering, prevent replay attack (reassembly attack), port/service blocking. Advanced features include block Java/URL/ActiveX based on extension, FTP/SMTP/RPC program filtering

- **VPN Functionality:** Eight (8) dedicated VPN tunnels, Manual key and Internet Key Exchange Security Association (IKE SA) assignment with pre-shared key and RSA/DSA signatures, key life and IKE lifetime time settings, perfect forward secrecy (Diffie-Hellman groups 1 and 2 and Oakley support), operating modes (Main, Aggressive, Quick), fully qualified domain name (FQDN) support for dynamic IP address VPN connections.
- **IPSec Support:** IPSec-based 56-bit (DES), 168-bit (3DES), or 256-bit (AES) encryption algorithm, MD5 or SHA-1 hashing algorithm, AH/AH-ESP support, PKI features with X.509 v.3 certificate support, remote access VPN (client-to-site), site-to-site VPN, IPSec NAT traversal (VPN pass-through)
- **Mode of Operation:** One-to-one/many-to-one Multi-Network Address Translation (NAT), classical routing, unrestricted users per port
- **IP Address Assignment:** Static IP address assignment, internal DHCP server on LAN, DHCP client on WAN, PPPoE client support


#### • Performance Features

- **Throughput:** Up to 12.5 Mbps WAN-to-LAN, up to 1.2 Mbps for 3DES

#### • Management Features

- **Administration Interface:** SNMP (v2c) support, Web graphic user interface, Secure Sockets Layer (SSL)-enabled remote management, user name and password protected; secure remote management support authenticated through IP address or IP address range and password; configuration changes/upgrades through web GUI.
- **Configuration and upgrades:** Upload and download configuration settings, field upgradeable flash memory

**Five High-Performance Network Functions in a Space-Saving Design**



**• Functions**

VPN Wizard to simplify configuration of the VPN, Smart Wizard to automatically detect ISP Address type (static, dynamic, PPPoE), Port Range Forwarding, Port Triggering, Exposed Host (DMZ), Enable/Disable WAN Ping, DNS Proxy, MAC Address cloning/spoofing, Network Time Protocol NTP support, Keyword Content Filtering, email Alerts, DHCP Server (Info and display table), PPPoE login client support, WAN DHCP Client, Diagnostic tools (ping, trace route, other), Port/service/MAC address blocking, Auto-Uplink on switch ports

**• Protocol Support**

- **Network:** IP routing, TCP/IP, UDP, ICMP, PPPoE
- **IP addressing:** DHCP (client and server)
- **Routing:** RIP v1, RIPv2 (Static Routing, Dynamic Routing)
- **VPN/Security:** IPSec (ESP, AH), MD5, SHA-1, DES, 3DES, IKE, PKI, AES

**• User Support**

- **LAN:** Up to 253 users
- **WLAN:** Up to 64 users

**• Maintenance**

Save/Restore Configuration, Restore Defaults, Upgrades via Web Browser, Display Statistics

**• Hardware Specs**

- **Processor:** Atheros 2316 SOC 32bit MIPS
- **Memory:** 4MB flash, 16MB SDRAM
- **Power requirements:** 100-240VAC, 50-60Hz
- **Power adapter:** 12VDC, 1.0A; plug is localized to country of sale
- **Dimensions:** 252 mm x 180 mm x 40 mm (9.92 x 7.1 x 1.57 inches)
- **Weight:** 2.7 lbs (1.22 kg)

**• Environmental Specifications**

- **Operating temperature:** 0 to 40°C (32 to 104°F)
- **Operating humidity:** 90% maximum relative humidity, noncondensing

**• Warranty**

NETGEAR 3-year warranty

**System Requirements**

- Cable, DSL, Satellite or Wireless Broadband modem and Internet service
- Ethernet connectivity from Broadband modem
- Network card for each connected PC
- Network Software (e.g. Windows)
- Internet Explorer 5.0 or higher or Netscape Navigator 7.2 or higher
- Compatible with IE 7.0 and Windows® Vista™

**Package Contents**

- FVG318 ProSafe Wireless VPN Firewall
- (1) detachable 5 dBi antenna
- Ethernet Cable
- Power adapter
- User guide
- Resource CD
- Warranty/support information card



4500 Great America Parkway  
 Santa Clara, CA 95054 USA  
 Phone: 1-888-NETGEAR  
 E-mail: info@NETGEAR.com  
 www.NETGEAR.com

©2007 NETGEAR, Inc. NETGEAR, the NETGEAR logo, Connect with Innovation, Everybody's connecting, the Gear Guy logo, IntelliFi, ProSafe, RangeMax and Smart Wizard are trademarks or registered trademarks of NETGEAR, Inc. in the United States and/or other countries. Microsoft and Windows are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Other brand and product names are trademarks or registered trademarks of their respective holders. Information is subject to change without notice. All rights reserved.

\* Free basic installation support provided for 90 days from date of purchase. Advanced product features and configurations are not included in free basic installation support; optional premium support available.

