

# **EVGA SuperNOVA 750 G2L Power Supply**

Part Number: 220-GL-0750-X1



### Ready for 4th Generation Intel Core Processors (C6/C7 Idle Mode)

Unleash the next generation in power with the EVGA SuperNOVA 750 GL Power Supply. Based on the award winning G2 series Power Supplies from EVGA, this power supply features 80 PLUS Gold rated efficiency, and clean, continuous power to every component. Not to mention, built in LED's to illuminate your case giving you a real showpiece system. The ECO Thermal Control Fan System offers fan modes to provide zero fan noise during low load operations. This provides improved efficiency for longer operation, less power consumption, reduced energy costs and minimal heat dissipation. Backed by a 10 year warranty and Japanese capacitor design, the EVGA SuperNOVA 750 GL is not only the right choice for your system today, it is also the best choice for your system tomorrow.

# **FEATURES**

- Unbeatable 10 Year Warranty and unparalleled EVGA Customer Support
- 80 PLUS Gold certified, with 90% (115VAC) / 92% (220VAC~240VAC) efficiency or higher under typical loads
- · Highest quality Japanese brand capacitors ensure long-term reliability
- Fully Modular to reduce clutter and improve airflow
- NVIDIA SLI & AMD Crossfire Ready
- Double Ball Bearing fan for exceptional reliability and quiet operation
- Heavy-duty protections, including OVP (Over Voltage Protection), UVP (Under Voltage Protection), OCP (Over Current Protection), OPP (Over Power Protection), and SCP (Short Circuit Protection)
- Built in White LEDs

#### **CABLE LENGTH**

ATX Cable	1x 600mm (m)		
EPS Cable	2x 700mm (m)		
PCIE Cable	1x 700mm, 850mm, 2x 700mm (m)		
SATA Cable	3x 550mm, 650mm, 750mm (m)		
Four-Pin Peripheral Cable	1x 550mm, 650mm, 750mm, 850mm (m)		
Floppy Adapter	1x 100mm		
AC Power	1x 1500mm (m)		
Modular Cable Type	Full		

#### **CONNECTOR QUANTITY**

24 Pin ATX	1x
EPS (CPU)	2x 8pin (4+4)
PCIE	4x 8pin (6+2)
SATA	9x
Four-Pin Peripheral	4x
Floppy	1x

#### **INPUT**

Input Voltage	100 - 240 VAC	
AC Input	10A	
Input Frequency Range	50 - 60 Hz	
Efficiency	90% (115VAC) / 92% (220VAC~240VAC) or Higher Typical	

## OUTPUT

Rail	+3.3V	+5V	+12V	+5Vsb	-12V
Max output	24A	24A	62.4A	3.0A	0.5A
			748.8W		
	120W		748.8W	15W	6W
Total	750W @ +50C				

## **ADDITIONAL DETAILS**

Operating Temperature	0° to 50° C		
Japanese Capacitors	100%		
ECO Mode	Yes		
MTBF	100,000 Hours		
Net Weight	6 lbs		
Size	85mm (H) x 150mm (W) x 180mm (L)		
Approvals	TUV, CE, FCC, RCM, cTUVus, WEEE, RoHS Compliance with ErP Lot 6 2013 Requirement		
Fan Size / Bearing	135mm Double Ball Bearing		

# **PRODUCT WARRANTY**



This product is covered under EVGA's 10 year warranty which covers parts and labor. For more details please visit <a href="https://www.evga.com/warranty">www.evga.com/warranty</a>