

Antec®

EXTREME MID-TOWER CHASSIS

P110 LUCE

ENLIGHTENED PERFORMANCE



RGB Logo



VR Ready




Vertical VGA Card Support



Antec Signature Thumbscrews



Extended Storage Capacity



VGA Card Holders

ICONIC STYLE, REINVENTED

The P110 Luce combines versatility and performance with refined craftsmanship for a sleek, VR-ready mid tower that features an adjustable VGA holder, cable management bar, and removable drive bays, for outstanding flexibility and customization.

STYLE &
PERFORMANCE COMBINED

DESIGN

Net Weight: 11.7kgs
Gross Weight: 13.6kgs



518mm

489mm

230mm

Antec


FRONT PANEL

0.8 mm Anodized Aluminum
Front Panel

+



Brushed Aluminum



4mm Tempered
Glass Side Panel

Antec

White LED Antec Logo

ANTEC SIGNATURE
THUMBSCREWS



Crafted with a knurled texture
for a premium feel and grip.

7-COLOR RGB LED LOGO



7 Colors & Multiple Modes



RED



GREEN



BLUE



PURPLE



YELLOW



WHITE



NEON GREEN

MODE

7 Single Color

Breathing

Flashing



Built-in LED Controller


Infinite RGB Customization

FLEXIBLE HARDWARE CONFIGURATIONS

8+2 PCI-E slots,
for upgrade and expansion

PCI-E Slots x 8


Vertical
VGA Card Slots x 2



Adjustable Cable Management Bar

VGA HOLDER

VGA Holder can be relocated
to fit your system's needs



VGA holder can be adjusted in multiple directions.

EXPANDABILITY

Tool-Less Drive Bays

Spring-Bolt SSD Tray


2.5" SSD UNIT

Antec

3.5" HDD Drive Bays
Removable By Thumbscrews

SUPPORTS UP TO 8 STORAGE DRIVES

2 dedicated 2.5" bays & 6 bays supporting either 3.5" or 2.5" drives



OR



P110

Motherboard support:
ATX, Micro-ATX, ITX

Max. Radiator thickness (Top) :
55mm (Including Fan Thickness)


Max. CPU cooler
height: 165mm
Graphics card support:
390mm Horizontal
Graphics card support:
390mm Vertical
Max PSU length : ≤ 200mm

Detachable vent slots on the front panel
provides enhanced ventilation and cooling


ACCOMMODATES HIGH-END COMPONENTS



THE FRONT PANEL FEATURES AN OPEN STRUCTURE



THERMAL MANAGEMENT



FAN SUPPORT

Included fans (1 x 120mm fans @ front & 1 x 120mm fan @ rear)



Top Magnetic Air Filters


Front Magnetic Air Filters

Bottom PSU Air Filter

LARGE AIR INTAKE FILTER

Easy Removal For Effortless Maintenance

I/O PANEL



POWER



RGB LED CONTROL



USB 3.0 X 2



MIC/AUDIO



HDMI X 1



SYSTEM BUILD DISPLAY

P110 LUCE



BELIEVE IT

SPECIFICATION

Unit Dimensions	489 x 230 x 518 mm (DWH)
Form Factor	Mid-Tower
Materials	0.8 mm Anodized aluminum / 0.8 mm~1.0 mm steel + ABS
Motherboard Support	ATX, Micro-ATX, ITX
I/O Ports	POWER, USB3.0 x 2 , HDMI, MIC / AUDIO, RGB LED Control
Side Panel	Tempered Glass

EXPANSION SLOTS & DRIVE BAYS

Expansion Slots	8 PCI-E (Horizontal) + 2 (Vertical)
5.25 in.	0
3.5 in	6 (compatible with 4 x 2.5" SSD)
2.5 in.	2

CASE FANS

Front	3x120mm or 2x140mm
Top	2x120mm or 2x140mm
Rear	1x120mm
Included fans	2 (1 x 120mm fans @ front & 1 x 120mm fan @ rear)

RADIATOR SUPPORT

Front	≤ 360mm
Top	≤ 280mm
Rear	≤ 120mm

INTERIOR SPACE + CLEARANCES

Behind the Motherboard	≤ 35mm
Graphics Card Support	≤ 390mm (Vertical) ≤ 390mm (Horizontal)
CPU Cooler Height	≤ 165mm
PSU Length	≤ 200mm
Radiator Max. Thickness (Top)	≤ 55mm (Including Fan Thickness)

OTHER

Air Filters	Top / Front / Rear
-------------	--------------------

Antec