

Thermaltake View 91 TG RGB Super Tower

- **Style : Simple**

- **Size : Super-Tower supports up to XL-ATX MB**

- **Material : Steel & Tempered Glass**

- ***Main Feature***

- **Connection** : Top- front I/O ports with 4 x USB 3.0 & 1 x Type-C

- **Expansion** : 12 drive bays with modular drive racks design

- **Ventilation** : 4 preinstalled Riing Plus RGB 140mm fan and removable filters

- **Support** : LCS & Advance Cable Management



Thermaltake View 91 TG RGB Super Tower

•Specification

Model	View 91 TG RGB
P/N	CA-1I9-00F1WN-00
Case Type	Super Tower
Chassis Dimension (H*W*D)	691 x 344 x 645 mm (27.2 x 13.5 x 25.4 inch)
Net Weight	29.3 kg / 64.6 lb
Side Panel	5mm Tempered Glass x 3 (Left & Right & Front)
Color	Exterior & Interior : Black
Material	SPCC
Cooling System	Rear (exhaust) : 140 x 140 x 25 mm Riing Plus RGB fan (500-1400rpm, 27.2dBA) Front (intake) : 140 x 140 x 25 mm Riing Plus RGB fan (500-1400rpm, 27.2dBA) x3
Drive Bays	
-Accessible	12 x 3.5" or 2.5" (HDD Cage)
-Hidden	
Expansion Slots	10 + 2
Motherboards	6.7" x 6.7" (Mini ITX), 9.6" x 9.6" (Micro ATX), 12" x 9.6" (ATX) , 12" x 13" (E-ATX) , 13.6" x 10.4" (XL-ATX)
I/O Port	USB 3.0 x 4, Type-C x 1, HD Audio x 1
PSU	Standard PS2 PSU (optional)
Fan Support	Front: 4 x 120mm , 3 x 140mm Top: 4 x 120mm , 3 x 140mm , 2 x 200mm Rear: 1 x 120mm , 1 x 140mm Bottom: 3 x 120mm , 3 x 140mm Right Side(Behind M/B Tray): 8 x 120mm , 8 x 140mm , 6 x 200mm
Radiator Support	Front: 1 x 480mm , 1 x 420mm Top: 1 x 480mm , 1 x 420mm , 1 x 400mm Rear: 1 x 120mm , 1 x 140mm Bottom: 1 x 120mm, 1 x 280mm Right Side(In front of M/B Tray): 1 x 480mm, 1 x 420mm
Clearance	CPU cooler height limitation: 200mm VGA length limitation: 470mm(With HDD rack) 600mm(Without HDD rack) PSU length limitation: 180mm (With Three Bottom Fans) 220mm (With Two Bottom Fans)

Thermaltake View 91 TG RGB Super Tower

• Features

- Patented 12 Single LED ring & Software design
- Supports up to 16 controllers, maximum 80 fans
- 16.8 million color RGB spectrum
- High static pressure fan design for radiator cooling
- Long life hydraulic bearing for reliable and silent operation
- 7 LED lighting modes:
Full lighted, RGB spectrum, ripple, pulse, wave, flow and sound effects



• Specification

Fan Dimension	140 x 140 x 25 mm
Interface	USB 2.0 connectors (9 Pin)
System compatibility	Windows 7 / 8 / 8.1 / 10
Fan Started Voltage	9.0 V
Fan Rated Voltage	12 V & 5V
Rated Current	Fan 0.17 A (one fan)
Power Input	12V – 6.5 W . 5V – 9.5W (Fan*3) 12V – 9 W . 5V – 14.5W (Fan*5)
Fan Speed	500 ~ 1400 R.P.M
Max. Air Pressure	1.53 mm-H2O
Max. Air Flow .	63.19 CFM
Noise Level	27.2 dB-A
Bearing Type	Hydraulic Bearing
Life expectation	40,000 hrs,25°C
Weight	160 g

Thermaltake View 91 TG RGB Super Tower

•Angle View



Front view



Back view



Unique Fan blade shape



Controller

Thermaltake View 91 TG RGB Super Tower



Riing RGB software

Digitally controlled with
Riing RGB software



16.8 million colors

design for radiator cooling



Application

Support up to 80 pcs fans

Thermaltake View 91 TG RGB Super Tower



RGB Spectrum Mode:
A gorgeous and seamless transition through the entire range of 16.8 million RGB colors



Ripple Mode:
RGB Colors ripple out across the fan



Flow Mode:
RGB or Single color flow in a clockwise direction



Pulse Mode:
A slow fade in and fade out of your color choice

Thermaltake View 91 TG RGB Super Tower



•Packaging

EAN Code	4711246870826
UPC Code	841163000823
N.W	29.3 kg / 64.6 lb
G.W	31.7 kg / 69.88 lb
Carton Size (L x W x H)	720 x 433 x 800mm / 28.3 x 17 x 31.5 inch
Cuft	8.81
Container	w/o pallet
20'	114
40'	232
40' HQ	246

Thermaltake View 91 TG RGB Super Tower

• Appearance – Window



Left Side view



Front view



Right Side view



Angle view



Rear view



Bottom view



Top view

Thermaltake View 91 TG RGB Super Tower


• Appearance – Window




Angle view



Internal Structure
(Left side)



Internal Structure
(Right side)



Thermaltake View 91 TG RGB Super Tower

- Structure (Internal)



12 x 3.5" or 2.5" HDD Rack



Thermaltake View 91 TG RGB Super Tower


•Structure (Internal)



Application

Thermaltake View 91 TG RGB Super Tower

- *Unique Design*




Full modular design

Thermaltake View 91 TG RGB Super Tower

•Structure (External)



Quick release side panel design



Quick release fan bracket design

•Ventilation



Built-in Riing Plus RGB 140mm fan x3
(Front)



Built-in Riing Plus RGB 140mm fan
(Rear)

Thermaltake View 91 TG RGB Super Tower

•Structure (External) - Filter



Magnetic fan filter
(Front)





Magnetic fan filter
(Top)



Magnetic fan filter
(Bottom)

Thermaltake View 91 TG RGB Super Tower

• Ventilation



Optional 200mm fan
(Top or right side)



Optional 140mm fan
(Top or right side)



Optional 120mm fan
(Top or right side)

Thermaltake View 91 TG RGB Super Tower

- *The Cooling System – DIY Liquid Cooling (Optional)*

Riing Plus 12



Thermaltake View 91 TG RGB Super Tower

- The Cooling System – DIY Liquid Cooling (Optional)***

Riing Plus 12



Thermaltake View 91 TG RGB Super Tower

•The Cooling System – DIY Liquid Cooling (Optional)

Riing Plus 12



Thermaltake View 91 TG RGB Super Tower

•The Cooling System – Air Cooling

Top

120mm x 4

140mm x 4

200mm x 3

Rear

140mm x 1

120mm x 1

Side

120mm x 8

140mm x 8

200mm x 6

Bottom




140mm x 3

120mm x 3


Front

140mm x 3

120mm x 3



•The Cooling System – DIY Liquid Cooling (Optional)



Thermaltake View 91 TG RGB Super Tower

• Compatibility List

Fan Compatibility List

	120mm	140mm	200mm
Front	4	3	-
Top	4	3	2
Rear	1	1	-
Bottom	3	3	-
Right Side	8	8	6

Thermaltake Compatible Fan

	120mm	140mm	200mm
PURE FAN Series	●	●	●
LUNA FAN Series	●	●	●
Riing FAN Series	●	●	●

✂ Right Side: Install the fans on the fan clips behind the M/B Tray

Radiator Compatibility List

	120mm	240mm	360mm	480mm	140mm	280mm	420mm	560mm	200mm	400mm	600mm
Front	●	●	●	●	●	●	●	-	-	-	-
Top	●	●	●	●	●	●	●	-	●	●	-
Rear	●	-	-	-	●	-	-	-	-	-	-
Bottom	●	-	-	-	●	●	-	-	-	-	-
Right Side	●	●	●	●	●	●	●	-	-	-	-

All-in-One Compatibility List (Water 3.0 and Floe series)

	Performer	Pro	240 Series	360 Series	140 Series	280 Series
Front	-	-	-	-	-	-
Top	●	●	●	●	●	●
Right Side	●	●	●	●	●	●
Rear	●	●	-	-	●	-

✂ Right Side: Install the Radiator in front of the M/B Tray